




## USB Audio CM6337A Section



**DMIC\_ENB:Enable Digital MIC**

(1: Disable; 0: Enable)

**I2S\_ENB : Enable I2S Interface**

(1: Disable; 0: Enable)

**HID\_EN** : HID bottom function enable

(0: Disable; 1: Enable)


**MONO\_ENB : MONO mode enable**

(1: Disable; 0: Enable)


**ARRAYMIC\_ENB:Enable Array MIC**

(1: Disable; 0: Enable)

## Function Select

EEPROM Section  
Select for  
CM6337A

## I2S Interface



C-MEDIA ELECTRONICS Inc.

6F., 100, Sec. 4, Civil Boulevard, Taipei, Taiwan, R.O.C.

Title
-------

## USB Audio MIC Section

Size	A4
------	----

Document Number
-----------------

CM6337A

Rev  
0.92

Date: Friday, August 22, 2008

Sheet 2 of 3



2

---

1

---

---



C-MEDIA ELECTRONICS Inc. 6F., 100, Sec. 4, Civil Boulevard, Taipei, Taiwan, R.O.C.		
Title <b>USB Audio MIC Section</b>		
Size A	Document Number <b>Placement</b>	Rev <b>0.92</b>
Date: Friday, August 22, 2008	Sheet 3	of 3